Owner: Mellekh Rural Municipality

Location: SudurpaschimPardesh, Achham Name of Work:Purchasing of Backhoe Loader

Quantity: One



## **Technical Specifications Of Backhoe Loader**

| SN | Criteria | Departmental Requirement  | Offered Specification                 |
|----|----------|---|---------------------------------------|
| 1  | General  | All wheel drive, rigid frame backhoe loader with Steel cab, suitable for operation under rough working conditions and adverse climatic condition at operating altitude of 2000 m and ambient temperature varying between -5°C to 50°C.  | Make:<br>Model:<br>Country of Origin: |
| 2. | Engine   | Water Cooled diesel Engine, developing SAE rated Gross HP not less than 90 HP and Torque not less than 380Nm (engine fully equipped with accessories) at governed RPM for efficient full load operation.  Back hoe shall be equipped with heavy duty radiator, cold starting device, direct electric starting system, heavy duty battery, heavy duty air cleaner, heavy duty fuel filter, with water trap and drainage in fuel line and drain tap in fuel tank.   | Make:<br>Model:                       |
| 3. | Capacity | 1. Loader: General purpose bucket with bolt on teeth of SAE rated capacity nominally heaped approx 1 cu.m with minimum break out force of 6000 kgf.  2. Minimum Dump height: 2700mm  3. Backhoe Bucket with bolt on teeth of SAE rated capacity at least 0.30 cu.m. with minimum tear out force 5645 kgf. And following working ranges:  • Minimum working height not less than:6000 mm.  • Max digging depth not less than: 4700 mm.  • Max digging reach not less than:6900 mm (Ground Level) from rear Axle centre  Pay Load: standard  Out triggers with controls from cabin shall be provided.  4. Stabilizer spread not less than 2 m or Normal Stablizer |                                       |
| 4. | Gauges   | To include ammeter, water temperature, fuel, oil  |                                       |
|    | 1        | pressure, transmission and hydraulic gauges as necessary for efficient operation and maintenance.   |                                       |

Chief and a state of the state

| 18  | Leively               | The BACKHOE LOADER should be delivered to<br>:Mellekh Rural Municipality Office "Achham  |  |
|-----|-----------------------|--|--|
| 17  | Warranty              | Manufacturer shall provide a minimum of one year warranty after acceptance.  | to the description of the second section of the sect |
| 16  | Color                 | Orange/Construction equipment yellow or any standard colour.   |  |
|     |                       | shall be supplied with a lockable tool box.  | Factorisation (Company), and the support along a destroy of the support and the support of the s |
| 15  | Tools                 | shall be supplied with equipment.  a. Spare Parts Catalogue b. Comprehensive workshop manual  A set of tools as required for general maintenance   |  |
| 14. | Manuals               | Copy of the Operator's and Owner's     Instructions and Maintenance manual in     English shall be supplied with equipment.     Copy of following manuals in English   |  |
| 13. | Instructions          | model but not limited to above items.  All signs and instructions in the equipment shall be in English.  |  |
| 12. | Essential Accessories | Road lights, work lights and fog lights     Cabin Lights     Service hour meter  Equipped with all accessories offered in standard   |  |
| 1   | Hydraulics            | Suitable hydraulic pumps flow not less than 117 LPM and system pressure not less than 220 Bar for smooth operation of all attachments smoothly.  |  |
| 0.  | Cab                   | All steel enclosed cab with laminated glass windscreen insulated roof, suitably located controls for back hoe and loader operation, rear view mirror, cabin light, wiper and adjustable cushioned seat for operator shall be provided. |  |
| 9   | Brakes                | Hydraulically actuated, wet multiple disc/ caliper disc<br>type service brake and separate parking brake.  |  |
| 8   | Steering              | Power assisted.  |  |
| 7   | Tires                 | Suitable tires with tubes for operating machine in<br>rough road conditions shall be provided.   | वस प्रदेश, नेपाल   |
| 6   | Axles                 | Four wheel drive with fixed rear axle and at least 15° oscillating front axles.  | भागानाको वर्गा<br>भागानाको वर्गा<br>भागानाको अस्ता   |
| 3   | Transmission          | Torque converter with four speed power<br>shift/shuttle type or power shift type range selector<br>of transmission   | 2/1/20   |

Note: 752

व्यास्य प्रशासकीय अधिकृत वृद्ध प्रसाद सायकाटा

- 1. Bidder is required to submit documentary evidence showing that the manufacturer's representative in Nepal has been providing after sales services for at least past 5 years.
- 2. The major items are indicated in bold and highlighted letters/ alphabets/figures in the technical specifications. Non Compliance of these major items will result in nonresponsiveness of the bid.

Prepared by: SATBIR RANA

Mechanical Engineer

NEC No.(1791) Mechanical RANF

प्रमुख प्रशासकीय अधिकृत